

PV1S60URM

CABO COAXIAL RG11 60% MALHA PRETO BOB 305M

PERFECT[®]**VISION**



COD-Z: 44.30.117

PV1S60URM

CABO COAXIAL RG11 60% MALHA PRETO BOB 305M

PERFECTVISION®



COD-Z: 44.30.117

PV1S60URM

CABO COAXIAL RG11 60% MALHA PRETO BOB 305M

PERFECT[®]VISION



COD-Z: 44.30.117

PV1S60URM

CABO COAXIAL RG11 60% MALHA PRETO BOB 305M



SERIES 11 COAXIAL DROP CABLE

Cu Clad Steel, Foamed PE, Tape, 60% Braid, PVC

CONSTRUCTION CHARACTERISTICS

Conductor	Material:	Copper-Clad Steel
	Nominal OD:	0.064 in (1.63 mm)
Dielectric	Material:	Gas Injected Foam PE
	Nominal OD:	0.280 in (7.11 mm)
Foil Shield	Material:	Aluminum/Laminate/Aluminum
	Shield Core OD:	.287" 7.29 mm
	Foil Shield Coverage:	100% (18% Overlap Minimum)
Braid Shield	Material:	34 AWG Aluminum Alloy
	Nominal Braid Coverage:	60%
Jacket	Material:	UV Resistant PVC
	Nominal O.D.:	0.400 in (10.16 mm)
	Colors:	Black



MAXPIPE

COD-Z: 44.30.117